

Functional Programming in Education

George Wilson

Data61/CSIRO

george.wilson@data61.csiro.au

15th May 2019



University

First year, first semester

Which language?

```
class Hello {  
  
    public static void main(String[] args) {  
        System.out.println("Hello, world!");  
    }  
  
}
```

	Content
Week 1	Basic expressions
Week 2	procedure declarations
Week 3	if-statement
Week 4	while-statement
Week 5	for-statement
...	

Structure and Interpretation of Computer Programs

Second Edition



Harold Abelson and
Gerald Jay Sussman
with Julie Sussman

```
(define (factorial n)
  (if (<= n 1)
      1
      (* n (factorial (- n 1)))))
```

Evaluation by substitution

```
(define (sum-of-squares x y)  
  (+ (sqr x) (sqr y)))
```

Evaluation by substitution

```
(define (sum-of-squares x y)  
  (+ (sqr x) (sqr y)))
```

```
(sum-of-squares 3 4)
```

Evaluation by substitution

```
(define (sum-of-squares x y)  
  (+ (sqr x) (sqr y)))
```

```
(sum-of-squares 3 4)
```

```
=> (+ (sqr 3) (sqr 4))
```

Evaluation by substitution

```
(define (sum-of-squares x y)  
  (+ (sqr x) (sqr y)))
```

```
(sum-of-squares 3 4)
```

```
=> (+ (sqr 3) (sqr 4))
```

```
=> (+ (* 3 3) (sqr 4))
```

Evaluation by substitution

```
(define (sum-of-squares x y)  
  (+ (sqr x) (sqr y)))
```

```
(sum-of-squares 3 4)
```

```
=> (+ (sqr 3) (sqr 4))
```

```
=> (+ (* 3 3) (sqr 4))
```

```
=> (+ 9 (sqr 4))
```

Evaluation by substitution

```
(define (sum-of-squares x y)  
  (+ (sqr x) (sqr y)))
```

```
(sum-of-squares 3 4)
```

```
=> (+ (sqr 3) (sqr 4))
```

```
=> (+ (* 3 3) (sqr 4))
```

```
=> (+ 9 (sqr 4))
```

```
=> (+ 9 (* 4 4))
```

Evaluation by substitution

```
(define (sum-of-squares x y)  
  (+ (sqr x) (sqr y)))
```

```
(sum-of-squares 3 4)
```

```
=> (+ (sqr 3) (sqr 4))
```

```
=> (+ (* 3 3) (sqr 4))
```

```
=> (+ 9 (sqr 4))
```

```
=> (+ 9 (* 4 4))
```

```
=> (+ 9 16)
```

Evaluation by substitution

```
(define (sum-of-squares x y)
  (+ (sqr x) (sqr y)))
```

```
(sum-of-squares 3 4)
```

```
=> (+ (sqr 3) (sqr 4))
```

```
=> (+ (* 3 3) (sqr 4))
```


```
=> (+ 9 (sqr 4))
```

```
=> (+ 9 (* 4 4))
```

```
=> (+ 9 16)
```

```
=> 25
```

```
{factorial 6}
(* 6 {factorial 5})
(* 6 (* 5 {factorial 4}))
(* 6 (* 5 (* 4 {factorial 3})))
(* 6 (* 5 (* 4 (* 3 {factorial 2}))))
(* 6 (* 5 (* 4 (* 3 (* 2 {factorial 1}))))))
(* 6 (* 5 (* 4 (* 3 (* 2 1))))))
(* 6 (* 5 (* 4 (* 3 2))))
(* 6 (* 5 (* 4 6)))
(* 6 (* 5 24))
(* 6 120)
720
```



Incredible breadth of content

complexity analysis

symbolic computation with quotation

interpreters

object-oriented programming

logic programming

many other concepts

A critique of Abelson and Sussman
- or -
Why calculating is better than scheming

Philip Wadler
Programming Research Group
11 Keble Road
Oxford, OX1 3QD



received April 1980



(or similar)

```
data List a
  = Nil
  | Cons a (List a)
```

```
(define (sum items)
  (cond ((null? items) 0)
        (else (+ (car items) (sum (cdr items))))))
```

```
(define (sum items)
  (cond ((null? items) 0)
        (else (+ (car items) (sum (cdr items))))))
```

```
sum items = case items of
  Nil      -> 0
  Cons x xs -> x + sum xs
```

```
(define (new-if predicate then-clause else-clause)
  (cond (predicate then-clause)
        (else else-clause)))
```

```
(define (new-if predicate then-clause else-clause)
  (cond (predicate then-clause)
        (else else-clause)))
```

newIf **True** t f = t

newIf **False** t f = f

*The Structure and Interpretation of the
Computer Science Curriculum*

Matthias Felleisen, Northeastern University, Boston, MA, USA

Robert Bruce Findler, University of Chicago, Chicago, IL, USA

Matthew Flatt, University of Utah, Salt Lake City, UT, USA

Shriram Krishnamurthi, Brown University, Providence, RI, USA

Email: {matthias,robby,mflatt,shriram}@plt-scheme.org

Criticisms

Examples are drawn from overly-technical domains

```
(define (deriv exp var)
  (cond ((number? exp) 0)
        ((variable? exp)
         (if (same-variable? exp var) 1 0))
        ((sum? exp)
         (make-sum (deriv (addend exp) var)
                    (deriv (augend exp) var)))
        ((product? exp)
         (make-sum
          (make-product (multiplier exp)
                        (deriv (multiplicand exp) var))
          (make-product (deriv (multiplier exp) var)
                        (multiplicand exp))))
        (else
         (error "unknown expression type -- DERIV" exp))))
```

Criticisms

Lacking coverage of foundational problem-solving techniques

From an educational point of view, our experience suggests that undergraduate computer science courses should emphasize basic notions of modularity, specification, and data abstraction, and should not let these be displaced by more advanced topics, such as design patterns, object-oriented methods, concurrency, functional languages, and so on.

— Jackson and Chapin, 2000 (emphasis mine)

HOW TO DESIGN PROGRAMS

Second Edition

An Introduction to Programming and Computing


Matthias
Felleisen

Robert Bruce
Findler

Matthew
Flatt

Shriram
Krishnamurthi

```
(require 2htdp/image)
(require 2htdp/universe)

(define rocket )

(define (picture-of-rocket height)
  (place-image rocket 50 height (empty-scene 100 60)))

(define (sign x)
  (cond ((> x 0) 1)
        ((= x 0) 0)
        (< x 0) -1)))

(define (picture-of-rocket.v2 height)
  (cond [(<= height 60)
        (place-image 50 height
                      (empty-scene 100 60))]
        [(> height 60)
        (place-image 50 60
                      (empty-scene 100 60))]))
```


Welcome to [DrRacket](#), version 7.2 [3m].

Language: [Beginning Student](#); memory limit: 128 MB.

> (picture-of-rocket.v2 5555)

place-image: expects 4 arguments, but found only 3

> |



Untitled - DrRacket*

File Edit View Language Racket Insert Scripts Tabs Help

Untitled (define ...) Debug Check Syntax Run Stop

```
1
```

Welcome to [DrRacket](#), version 7.2 [3m].
Language: **Advanced Student**; memory limit: 128 MB.
> (cons 3 4)
cons: second argument must be a list, but received 3 and 4
> |

All expressions are covered Show next time?

Advanced Student 5:2 441.47 MB

Strings aren't compared with `=` and its relatives. Instead, you must use `string=?` or `string<=?` or `string>=?` if you ever need to compare strings. While it is obvious that `string=?` checks whether the two given strings are equal, the other two primitives are open to interpretation. [Look up their documentation.](#) Or, experiment, guess a general law, and then check in the documentation whether you guessed right.

If the documentation in HelpDesk appears confusing, experiment with the functions in the interactions area. Give them appropriate arguments, and find out what they compute. Also use **inappropriate** arguments for some operations just to find out how BSL reacts:

```
> (string-length 42)  
string-length:expects a string, given 42
```

1. **From Problem Analysis to Data Definitions**

Identify the information that must be represented and how it is represented in the chosen programming language. Formulate data definitions and illustrate them with examples.

2. **Signature, Purpose Statement, Header**

State what kind of data the desired function consumes and produces. Formulate a concise answer to the question *what* the function computes. Define a stub that lives up to the signature.

3. **Functional Examples**

Work through examples that illustrate the function's purpose.

4. **Function Template**

Translate the data definitions into an outline of the function.


5. **Function Definition**


Fill in the gaps in the function template. Exploit the purpose statement and the examples.

6. **Testing**

Articulate the examples as tests and ensure that the function passes all. Doing so discovers mistakes. Tests also supplement examples in that they help others read and understand the definition when the need arises—and it will arise for any serious program.

Figure 1: The basic steps of a function design recipe





3 + False

```
<interactive>:1:1: error:
```

- No instance for (Num Bool) arising from a use of '+'
- In the expression: 3 + False
In an equation for 'it': it = 3 + False

GHC custom type errors

```
{-# language DataKinds, TypeFamilies, TypeOperators #-}  
{-# language UndecidableInstances #-}
```

```
import GHC.TypeLits
```

```
instance TypeError (Text "Booleans are not numbers" :$$:  
                    Text "so we cannot add or multiply them")  
=> Num Bool where
```

3 + False

```
<interactive>:1:1: error:
```

- Booleans are not numbers
so we cannot add or multiply them
- In the expression: 3 + False
In an equation for 'it': it = 3 + False

Custom preludes for a staged introduction

Prelude.hs

```
module Prelude
  ( Integer, (+)
  )
where

import GHC.Num (Integer)
import qualified GHC.Num as N

(+) :: Integer -> Integer -> Integer
(+) = (N.+)
```


A brief personal anecdote. . .

Thanks for listening!

References

- Structure and Interpretation of Computer Programs
Harold Abelson and Gerald Jay Sussman with Julie Sussman
- A Critique of Abelson and Sussman
Philip Wadler
- The Structure and Interpretation of the Computer Science Curriculum
Matthias Felleisen, Robert Bruce Findler, Matthew Flatt, Shriram Krishnamurthi
- How to Design Programs
Matthias Felleisen, Robert Bruce Findler, Matthew Flatt, Shriram Krishnamurthi
- The Risks and Benefits of Teaching Purely Functional Programming in First Year
Manuel Chakravarty and Gabriele Keller